

## City of Titusville, Pennsylvania

## SURPLUS PROPERTY BID FORM

Property can be viewed and inspected by appointment between the hours of 7 am and 3 pm. Questions should be referred to the Public Works Department. Only successful bidders will be notified. Individuals wishing to bid must submit their bid(s) on this official form.

Please check the box next to the item(s) you are bidding on and enter your bid amount.

	ITEM #	DESCRIPTION / NOTES	MINIMUM BID	AMOUNT OF BID
	1.	1999 Ex-Mark Lazer Z Mower	\$ 500.00	
		2,447 Hours - Poor condition		
	2.	1997 Case 580L Backhoe	\$10,000.00	
		5,625 Hours – Fair condition		
	3.	1999 Ford F-350 Flat Bed Pickup	\$ 1, 500.00	
		Mileage 105,634 - Poor condition		
	4.	Gehl 6635 DXT Skidsteer w/hammer	\$ 5,000.00	
		3,051 Hours - Fair condition		
	5.	1998 Ex-Mark Lazer Mower	\$ 500.00	
		3,669 Hours - Poor condition		
	6.	2005 Ford Crown Victoria	\$ 1,200.00	
		Mileage 57,555 - Fair condition		
	7.	1983 Grumman Van	\$ 1,000.00	
		Mileage 115,112 – Poor condition		
	8.	2006 Elgin Whirlwind Sweeper	\$10,000.00	
		Mileage 43,345 – Fair condition, was working when parked		
	9.	(5) Diamond plated toolboxes	\$ 500.00	
		Fit 8 ft. truck bed		
	10.	Miscellaneous items lot	\$ 500.00	
		Trash pump, paint sprayer, parts washer, power roller, etc.		

Bidder Name	
Address	
City/State/Zip	
Phone #	

All bid forms must be submitted in a sealed envelope and should be returned to:

City of Titusville, City Manager Attn: Surplus Property Bid 107 N Franklin St Titusville PA, 16354-1734

Terms: All equipment will be sold "as is". Successful bidders are responsible for paying for with certified funds and picking up equipment within 7 days of notification. Certified funds include cash, money order, cashier's check. All successful bidders agree to hold harmless City of Titusville for future liability in the use of the equipment. The City of Titusville reserves the right to reject any and all bids.

BID DEADLINE: BIDS MUST BE RECEIVED AT CITY HALL NO LATER THAN 2:00pm NOVEMBER 4, 2022.